

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**FAX RECEIVED**

JUL 01 2002

GROUP 1600

In re U.S. Patent application of:

Hans-Peter Call (applicant)

Serial No.: 09/446,373

Filed June 19, 1998

For: OXIDATION AND BLEACHING

SYSTEM WITH ENZYMATICALLY

PRODUCED OXIDIZING AGENTS)

Examiner: Weber, John P

Group Art Unit: 1651

ORIGINAL

24/6
7/2/02
1.99
7/8/02

Übach-Palenberg, Germany, June 24, 2002

Assistant Commissioner for Patents
Washington, DC 20231**Amendment**

Sir:

In response to the Office action dated August 28, 2001, please amend the above-identified application as follows:

In the claims:

The formal corrections according your requirements (page 4 to page 8) 35 USC § 112 are respectfully submitted and attached in a corrected set of claims (claim 101 to 150)
Claim 80 and 100 of the amendments from September 8, 2000 and September 19, 2000 are duplicates. Claim 100 is therefore be cancelled.

Fax: 001 703 729306

(11 Pages)

w/Amend B

Respectfully,



(Dr. Hans Peter Call)

June, 24, 2002

08/28/2002 GTRAMEL 00000001 09446373

01 FC:215	55.00 OP
02 FC:203	585.00 OP
03 FC:204	140.00 OP

Dr. Hans-Peter Call
Übach-Palenberg, Germany
Heinsberger Strasse 14a
Phone: 0049 2451 952814
Fax: 0049 2451 952842
e-mail: Bioscreen@t-online.de